

GANTRY ENTRANCE SPECIFICATION



PRODUCT INFO

The Gantry Entrance Panel provides a secure, ungated pedestrian access point for temporary fencing setups.

The Gantry Entrance Panel is constructed from durable galvanised steel with a weather-resistant zinc coating, ensuring long-lasting performance. Featuring a 1210mm wide x 1980mm high opening, the panel extends 540mm from the fencing line, providing high visibility. It's designed for easy installation, seamlessly connecting with standard or anti-tamper couplers (sold separately) and maintaining stability with temporary rubber fencing feet. Its foldable design makes transportation and storage convenient, without compromising on strength or functionality. Ideal for events, construction sites, and secure perimeters, the Gantry Entrance Panel offers a practical, visible access point in a line of temporary fencing. The increased height makes it stand out, and the overhead space is perfect for adding signage or branding. For high-traffic areas, two gates can be linked together to increase flow and create separate entry and exit points. The Gantry Entrance Panel is a flexible, reliable solution for managing pedestrian access.

KEY FEATURES

- Stable and visible design for smooth crowd flow
- Quick setup with standard couplers and feet
- Ideal for events, construction, and more
- Durable galvanised steel for long-lasting use
- Foldable design for easy transport and storage
- Custom colours available on request

SPECIFICATIONS

Product ID	TFS100490
Colour	Unpainted
Height (mm)	2530
Depth (mm)	540
Width (mm)	2300
Weight (kg)	27




info@mjkmanufacturing.co.uk



mjkmanufacturing.co.uk

GANTRY ENTRANCE SPECIFICATION


GANTRY ENTRANCE SETUP



GANTRY ENTRANCE SPECIFICATION



DOUBLE GANTRY ENTRANCE SETUP



info@mkmanufacturing.co.uk



mkmanufacturing.co.uk

GANTRY ENTRANCE

SPECIFICATION

GANTRY ENTRANCE



Product ID	TFS100490
Colour	Unpainted
Height (mm)	2530
Depth (mm)	540
Width (mm)	2300
Weight (kg)	27

HD GRIPPER FENCE COUPLER



Product ID	TFS100520
Height (mm)	55
Depth (mm)	35
Width (mm)	140
Weight (kg)	0.4